

# Prince Moto Quad

450.473.8115 – [www.princemotoquad.com](http://www.princemotoquad.com)

## KDF 70-F



Spécifications techniques

Engine:

Model:	70cc, 2 Valves, Four Strokes, Air Cooled, Single Cylinder
Carburetor:	Mikuni 19mm
Bore stroke:	47 × 41.4mm
Actually displacement:	72ml
Compression ratio:	8.8:1
Max power & rotating speed:	4.0kw/7500r/min±375r/min
Rated power & rotating speed:	3.4kw/7500r/min±375r/min
Max torque & rotating speed:	5.0N.m/4500r/min±250r/min
Valve Clearance:	To Come...
Oil:	10 W 40 Synthetic
Oil Consumption rates:	=10g/KW.h
Oil capacity:	900ml
Transmission:	4 Speed Semi-Automatic
Transmission rates:	Neutral:3.722 1st gear:3.182 2nd gear:1.706 3rd gear:1.238 4th gear:0.917
Spark Plug type:	NGK / C7HSA
Spark plug Clearance:	To Come...
Start Mode:	Electric Starter & Kick Start (any gear start)
Ignition:	CDI
Dimension (cm):	To Come...
Net weight:	41,8 lbs

Components:

Frame Model / KDF 70-F:	Iron
Sub Frame :	Iron
Swing Arm:	Aluminum
Fork:	To Come...
Rear Shock:	Mono Shock
Rim:	Aluminum
Hub (Front and Rear) :	Regular KDF
Axe :	12mm
Front Tire:	10"
Rear Tire:	10"
Tire Brand:	Regular
Brake:	Hydraulic Disc Brake (Front and Rear)
Break Pedal:	Regular KDF
Pegs:	Regular KDF
Handel Bar:	Regular KDF
Exhaust:	Regular KDF
Skid Plate:	Aluminum
Graphic Kit:	Complete KDF Graphic Kit (Front & Rear Fender, Side Panels, Front \$ Side Plate + Bar Pad)
Size (L*W*H) (cm):	To Come...
Ground Clearance:	To Come...
Total Net Weight:	To Come...

*Disponible chez votre concessionnaire KDF Sports autorisé :*



450.473.8115 – [www.princemotoquad.com](http://www.princemotoquad.com)